

# Loss of Appetite with Cancer Treatment

Loss of appetite is one of the most common problems with cancer treatment. Eating healthy meals and drinking liquids will help you feel better during treatment.

Follow these tips to improve your appetite:

- Eat small meals more often during the day.
- Drink liquids if you do not feel like eating solid food. Try juice, soup, milkshakes, and liquid or powdered meal supplements such as “Instant Breakfast”.
- Keep snacks with you and eat whenever you feel like it.
- Drink liquids between meals so that you are not too full to eat at mealtime.

**Talk to your doctor, nurse or dietitian about dealing with any eating problems you may have.**

# 癌症治疗造成的食欲丧失

丧失食欲是癌症治疗造成的最常见的问题之一。在治疗期间健康饮食并多喝液体将会使您感到舒服一些。

试试以下方法，以提高食欲：

- 白天少食多餐。
- 如果您不想吃固体食物，请喝流体。请尝试果汁、汤、奶昔和液态或粉状增补餐，如即食早餐。
- 随身带一些零食，随时可食。
- 在两餐之间喝一些液体，以便在进餐时间不会因为太饱而不吃。

若有任何进食方面的问题，请告知您的医生、护士或营养师。

2005 – 1/2011 Health Information Translations

Unless otherwise stated, user may print or download information from [www.healthinfotranslations.org](http://www.healthinfotranslations.org) for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Loss of Appetite. Simplified Chinese.